


HAP010



Type 品名	Roundness 真圓度	Concentricity 同心(軸)度	Material 材質	Heat Treatment 熱處理	Cryogenic Treatment 深冷處理	Hardness 硬度	Delivery 交貨日
HAP010	1.5μm	3μm	SUJ2(1.3505) 軸承鋼	Hardened 整體淬火	Included 有	HRC62±2	3 Working Days 3 個工作日

Type	D	L	B	R
HAP010	10	40/50/60/70/80/100	13	1.0
	13	50/60/70/80/90/100/120	16	1.5
	16	50/60/70/80/90/100/110/120/140	20	1.5
	20	70/80/90/100/110/120/140	25	2.0
	25	70/80/90/100/110/120/140	28	2.0

Order Ex. 訂購範例

HAP010-D-L

Alterations	追加加工名稱	Description	加工說明	Order Ex.	訂購範例
A		Length change 長度尺寸變更		HAP010-10-A38 Length change to 38mm 長度尺寸變更為38mm	
C		Pressfit length change 壓入部長度變更		HAP010-10-40-C8 Pressfit length change to 8mm 壓入部長度變更為8mm	
E		Taper machining of pin tip 前端錐度加工		HAP010-10-40-E	
F		Head thickness change 肩部厚度變更		HAP010-10-40-F3 Head thickness change to 3mm 肩部厚度變更為3mm	